

Pressure

Spare Parts and Accessories

TUBES/HOSES

GDZ-01

PVC hose 6/4 (6 mm outside-Ø, 4 mm inside-Ø, 5 bar at 23 °C)

GDZ-02

PE (Polyethylene) tube 6/4 (6 mm outside-Ø, 4 mm inside-Ø, 10 bar at 23 °C)

GDZ-03

PUR (Polyurethane) tube 6/4 (6 mm outside-Ø, 4 mm inside-Ø, 9 bar at 23 °C)

GDZ-04

PA (Polyamide) tube 6/4 (6 mm outside-Ø, 4 mm inside-Ø, 25 bar at 23 °C)

GDZ-24

PVC hose 10/7 (10 mm outside-Ø, 7 mm inside-Ø, 5 bar at 23 °C)

GDZ-31

Silicone tube 8/5 (8 mm outside-Ø, 5 mm inside-Ø, 2 bar at 23 °C, max. 200 °C)

Various lengths are available to choose from

PLASTIC ADAPTERS

GDZ-05

Screw-in connection for hose 6/4 with male thread G 1/8

GDZ-06

Screw-on gland for 6/4 tube with female thread G 1/8

GDZ-07

Double nozzle for hose with 6(7) mm inside-Ø to hose 6/4

GDZ-08

Double adapter for 6/4 hose to 6/4 hose

GDZ-14

Screw-in nozzle for hose 6/4 with male thread R 1/8

GDZ-15

Screw-in nozzle for hose inner-Ø 6 mm with male thread R ¼

GDZ-16

Screw-in nozzle for hose 6/4 with male thread R ¼

GDZ-17

Screw-in connection for hose 6/4 with male thread G ¼

GDZ-21

T-piece for hoses 6/4

PLASTIC, OTHER

GDZ-18

Hose clamp for hose 6/4

GDZ-19

Hose clamp for 10/7 and 8/6 (10 or 8 mm outside-Ø, 7 or 6 mm inside-Ø)

GDZ-29

Filter diaphragm incl. Luer-Locks (GDZ-32 and GDZ-33)

GDZ-32

Adapter Luer-Lock male to 6/4 tube

GDZ-33

Adapter Luer-Lock female to 6/4 tube

GDZ-34

PE plastic porous filter with male thread G 1/8

GDZ-35

Self-adhesive filter membrane Ø 7 mm, 10 pcs

METAL GASKETS

GDZ-27

Manometer profile gasket for thread G ¼

GDZ-28

Manometer profile gasket for thread G ½

ALUMINUM ADAPTER

GDZ-30

Adapter G ½ inside thread to tube 6/4

STAINLESS STEEL ADAPTER

GDZ-GAS-PLUG-D10

Adapter G 1/8 to Ø10 mm outside for gas socket, inner hole 1mm

BRASS ADAPTER

GDZ-22

Coupling adapter (nominal diameter 5) for tube 6/4, brass

GDZ-10

Coupling adapter (nominal diameter 5) for hose with 6 mm inside-Ø, brass

GDZ-09

Coupling adapter (nominal diameter 5) with female thread G ¼, brass

GDZ-11

Coupling adapter (nominal diameter 5) with male thread G ¼, brass

GDZ-12

Coupling adapter (nominal diameter 5), one hand operation, with male thread G ¼, brass

GDZ-13

Adapter G ½ A outer thread, G 1/8 inner thread, brass

GDZ-23

Adapter G ¼ A outer thread, G ½, inner thread, brass

GDZ-20

Screw-on gland for hose 6/4 with female thread G ¼, brass

GDZ-UT

Universal pressure port for tube 6/4 or 8/6 with male thread G 1/8, brass nickel-plated

GDZ-QC6

Quick connect for hose 6/4 with male thread G 1/8, brass nickel-plated

GDZ-ST6

Screw type tube connection for hose 6/4 with male thread G 1/8, brass nickel-plated

GDZ-MCM

Mini quick connect coupling plug (nominal diameter 2.7) with male thread G 1/8, brass nickel-plated

GDZ-MCF

Mini quick connect coupling socket (nominal diameter 2.7) with screw lock for tube 6/4, seals when plugged off, brass nickel-plated